



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Statistical reports of States and cities of the United States—Yearly and monthly.

CALIFORNIA—*Los Angeles*.—Month of March, 1901. Census population, 102,479. Total number of deaths, 168, including diphtheria, 1; enteric fever, 5, and 46 from tuberculosis.

Oakland.—Month of March, 1901. Estimated population, 75,000. Total number of deaths, 105, including enteric fever, 1; scarlet fever, 1, and 23 from tuberculosis.

Sacramento.—Month of March, 1901. Estimated population, 30,000. Total number of deaths, 32, including 7 from phthisis pulmonalis.

INDIANA—*Muncie*.—Month of March, 1901. Census population, 20,942. Total number of deaths, 26, including diphtheria, 1, and 1 from tuberculosis.

KANSAS—*Leavenworth*.—Month of March, 1901. Census population, 21,556. Total number of deaths, 26, including enteric fever, 1, and 3 from tuberculosis.

MARYLAND—*Baltimore*.—Month of March, 1901. Estimated population, 541,000—white, 463,000; colored, 78,000. Total number of deaths, 966—white, 701; colored, 265—including diphtheria, 16; enteric fever, 2; whooping cough, 6; influenza, 28, and 140 from tuberculosis.

MASSACHUSETTS—*Fitchburg*.—Month of March, 1901. Census population, 31,531. Total number of deaths, 51, including diphtheria, 2; enteric fever, 1, and 3 from tuberculosis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended April 6, 1901, from 76 observers indicate that pleuritis was more prevalent than in the preceding week. Cerebro-spinal meningitis was reported present at 2, whooping cough at 13, diphtheria at 21, measles at 29, enteric fever at 40, phthisis pulmonalis at 190, and small-pox at 100 places.

NEW HAMPSHIRE—*Concord*.—Month of March, 1901. Estimated population, 19,500. Total number of deaths, 36, including diphtheria, 1, and 3 from tuberculosis.

Franklin.—Month of February, 1901. Census population, 5,843. Total number of deaths, 7. No deaths from contagious diseases.

Month of March, 1901. Total number of deaths, 9, including 1 from tuberculosis.

NEW JERSEY—*Hudson County*.—Month of February, 1901. Census population, 386,048. Total number of deaths, 622, including diphtheria, 20; enteric fever, 2; measles, 1; scarlet fever, 8; whooping cough, 3, and 75 from phthisis pulmonalis.

NEW YORK—*Saratoga Springs*.—Month of March, 1901. Estimated population, 12,400. Total number of deaths, 18, including 1 from measles.

NORTH CAROLINA—*Charlotte*.—Month of March, 1901. Estimated population, 27,752. Total number of deaths, 34, including enteric fever, 1; measles, 1; smallpox, 1, and 1 from phthisis pulmonalis.

Wilmington.—Month of March, 1901. Census population, 21,000. Total number of deaths, 43, including 5 from phthisis pulmonalis.

OHIO—East Liverpool.—Month of March, 1901. Census population, 16,486. Total number of deaths, 20, including enteric fever, 2, and 1 from phthisis pulmonalis.

PENNSYLVANIA—New Castle.—Month of March, 1901. Estimated population, 28,350. Total number of deaths, 36, including 17 from tuberculosis.

TENNESSEE—Knoxville.—Month of March, 1901. Estimated population, 35,000—white, 26,000; colored, 9,000. Total number of deaths, 48, including 14 from tuberculosis.

TEXAS—San Antonio.—Month of March, 1901. Census population, 53,321. Total number of deaths, 97, including enteric fever, 1; measles, 1; scarlet fever, 5, and 24 from tuberculosis, of which 16 were in the persons of nonresidents.

UTAH—Salt Lake City.—Month of March, 1901. Estimated population, 70,000. Total number of deaths, 57, including diphtheria, 3; enteric fever, 1; whooping cough, 1; smallpox, 2, and 5 from phthisis pulmonalis.

VIRGINIA—Roanoke.—Month of March, 1901. Census population, 21,495. Total number of deaths, 47; including diphtheria, 1; smallpox, 4, and 6 from tuberculosis.